



# Stickstoffdioxid (NO<sup>2</sup>)

M3.20

► Quelle: Staatliches Gewerbeaufsichtsamt Hildesheim, Zentrale Unterstützungsstelle für Luftreinhaltung, Lärm- und Gefahrstoffe

2. Quartal 2024

► Erläuterungen: Stundenwerte, gesetzlicher Grenzwert: 40 µg/m<sup>3</sup>

Tag	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
<b>April 2024</b>																															
<b>Höchster Wert des Monats:</b>																<b>33,7 µg/m<sup>3</sup></b>		<b>am 01.04.2024</b>													
max.	34	8	17	12	11	10	11	19	28	8	11	7	7	5	11	5	12	12	5	4	7	11	10	6	10	9	22	13	16	22	
Ø	11	7	10	7	6	6	5	11	9	4	7	5	5	3	6	3	4	3	3	2	3	5	5	4	5	5	9	6	7	11	
<b>Mai 2024</b>																															
<b>Höchster Wert des Monats:</b>																<b>22,8 µg/m<sup>3</sup></b>		<b>am 13.05.2024</b>													
max.	16	10	18	13	13	14	18	18	20	17	18	19	23	15	10	14	23	22	15	13	21	15	11	20	10	13	14	8	8	16	17
Ø	9	7	9	6	6	7	11	11	7	7	7	9	9	8	7	8	11	11	8	9	9	8	6	9	7	7	7	5	6	7	9
<b>Juni 2024</b>																															
<b>Höchster Wert des Monats:</b>																<b>28,3 µg/m<sup>3</sup></b>		<b>am 26.06.2024</b>													
max.	16	4	6	9	7	7	8	8	6	15	4	5	18	13	15	5	12	13	5	7	21	7	17	13	20	28	16	11	9	11	
Ø	8	3	3	5	3	4	6	5	3	5	3	3	6	8	5	3	5	7	3	5	13	4	5	6	9	12	9	5	5	5	