



# Stickstoffdioxid (NO<sup>2</sup>)

M3.20

Quelle: Staatliches Gewerbeaufsichtsamt Hildesheim, Zentrale Unterstützungsstelle für Luftreinhaltung, Lärm- und Gefahrstoffe

3. Quartal 2024

Erläuterungen: Stundenwerte, gesetzlicher Grenzwert: 40 µg/m<sup>3</sup>

Tag	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
<b>Juli 2024</b>																															
<b>Höchster Wert des Monats:</b>																	<b>29,5 µg/m<sup>3</sup> am 30.07.2024</b>														
max.	11	5	4	6	6	9	5	9	18	6	9	11	4	5	11	21	4	21	23	13	15	10	9	8	8	7	7	5	13	29	8
Ø	4	2	3	3	4	4	3	4	10	3	5	6	2	3	5	6	3	7	11	8	8	4	5	3	5	5	4	2	5	14	4
<b>August 2024</b>																															
<b>Höchster Wert des Monats:</b>																	<b>35,9 µg/m<sup>3</sup> am 12.08.2024</b>														
max.	4	6	16	4	27	18	22	27	7	7	7	36	17	22	9	8	10	11	10	15	5	9	7	8	6	9	17	22	17	14	13
Ø	3	3	6	2	6	9	8	7	4	4	4	12	8	9	5	4	6	6	6	8	3	5	5	5	3	5	8	10	9	7	5
<b>September 2024</b>																															
<b>Höchster Wert des Monats:</b>																	<b>40,8 µg/m<sup>3</sup> am 22.09.2024</b>														
max.	26	15	28	16	11	19	25	20	16	7	4	9	7	13	10	11	9	16	10	38	38	41	21	15	19	12	5	4	9	11	
Ø	9	8	14	9	7	10	12	9	6	4	3	5	4	4	6	6	5	8	6	10	17	19	12	8	7	7	3	3	4	5	